



1203 South Parker  
Olathe, Kansas 66061  
Phone: (913) 764-6718

# Wagner-Smith Model T-4DP-115

A multiple drum puller-tensioner, the WAGNERSMITH Model T-4DP-115 can be used in a wide range of stringing and tensioning applications.

Both simple to operate and easy to maintain, the Model T-4DP-115 is another innovative WAGNER-SMITH product designed and developed to meet the changing needs of the power line construction industry.

## MAJOR OPERATING/SAFETY FEATURES

- Internally pressure compensated closed-loop hydraulic system, minimizes heat build up of hydraulic fluid while in the tensioning mode. Can preset desired pulling or tensioning pressure.
- Spring applied, hydraulic pressure released safety brake is standard in the main drive line for operator safety.
- All unit operating controls are located at the operator's station, off the ground, for operator safety.
- Steel pulling drum, hydraulic levelwind assembly, freewheeling 12-5/8" drum brake, safety screen and seat are all included as standard features

## OPTIONS AVAILABLE

- \*Hydraulic operated front and rear jacks
- Vandalism package
- Air/hydraulic axle brakes

## STANDARD FEATURES

- Levelwind (4) post type hydraulically operated
- Engine 115 hp class Tier III, water cooled. Diesel
- Front Hitch 3" Lunette eye
- Lighting D.O.T. Regulation
- Front Jack Manual 2-speed
- Rear Jacks Manual pin type
- Tires 255/70R22.5 load range "H"
- Axles(s) Tandem 15,000 lbs capacity
- Suspension Leaf spring
- Brakes Air Brakes with ABS front axle
- Grounding Mounted front and rear Lugs



## MODEL T-4DP-115 SPECIFICATIONS

### UNIT PERFORMANCE (standard pulling drum)

- Continuous Torque Rating 115,000 in. lbs.
- Line Speed (average) 5 mph
- Full Drum Line Pull Rating 3,594 lbs.

### PULLING DRUM

- Diameter (O.D.) 64"
- Inside Width 22"
- Core Diameter 20"
- Approx. Line Capacity 16,500 ft. of 5/8" Fiber rope

### DIMENSIONS & WEIGHT

- Unit Length 23 ft. 6 in.
- Unit Width 8 ft. 0 in.
- Unit height 11 ft. 3 in.
- Net Weight w/o rope 19,900 lbs.
- GVWR 33,300 lbs.